

To: CN=Cynthia Sonich-Mullin/OU=CI/O=USEPA/C=US@EPA[]
Cc: CN=Dayna Gibbons/OU=DC/O=USEPA/C=US@EPA[]
From: CN=Elizabeth Blackburn/OU=DC/O=USEPA/C=US
Sent: Wed 10/31/2012 3:50:57 PM
Subject: Re: Pavillion and anti-freeze

Hi Cindy.

It's actually nice to be back.

In terms of timing, sooner is better than later. It would be great if Gary could get us something later tonight or early tomorrow. It doesn't have to be prose, just a good summary of what happened.

We'll try to piece something together before that so that we can input your information when we get it.

Thank you!

Liz

Liz Blackburn
Communications Director
Office of Research and Development
USEPA
PH: 202-564-2192
Blackberry: 202-436-2453

From: Cynthia Sonich-Mullin/CI/USEPA/US
To: Elizabeth Blackburn/DC/USEPA/US@EPA
Cc: Dayna Gibbons/DC/USEPA/US@EPA
Date: 10/31/2012 11:09 AM
Subject: Re: Pavillion and anti-freeze

Hi Liz,
I hope you all weathered the storm safe and sound and am glad you all are back.

I had a good discussion with Gary on the subject last night. He has received additional input and I requested a summary.
He is travelling today so please bear with me. I will provide you with the requested information as soon as I can.
Or, do you need this immediately? If so, I will go another route.

Thanks!
Cindy

Cynthia Sonich-Mullin
Director
National Risk Management Research Laboratory
Cincinnati, Ohio 45268
Ofc: 513-569-7923
Cell: 513-560-5043

From: Elizabeth Blackburn/DC/USEPA/US
To: Cynthia Sonich-Mullin/CI/USEPA/US@EPA
Cc: Dayna Gibbons/DC/USEPA/US@EPA
Date: 10/31/2012 10:58 AM
Subject: Pavillion and anti-freeze

Hi Cindy

I hope you are doing well.

Ramona has asked that we develop a statement about the alleged anti-freeze spill. Can you please send me any useful information that you have that might help us develop a good statement.

Thank you.

Liz

Liz Blackburn
Communications Director
Office of Research and Development
USEPA
PH: 202-564-2192
Blackberry: 202-436-2453